

Update Information
2014 Update Number 3

<i>DCM</i>	<i>Title</i>	<i>Action/Change</i>
Z1	Name and Series Authority Records	373 – Associated Group. Updated to correct a typo in an indicator. Replace.
Z1	Name and Series Authority Records	380 – Form of Work. Updated to correct a typo in the name of the reference source. Replace.
Z1	Name and Series Authority Records	551 – See Also From Tracing – Geographic Name. Updated to clarify guideline. Replace.
Supplement to the MARC 21 Format for Authority Data	500 See Also From Tracing – Personal Name	Replace. Revised to note that subfield \$0 is not supplied in NARs
Supplement to the MARC 21 Format for Authority Data	781 Subdivision Heading Linking Entry – Geographic Subdivision	Replace. Revised to reflect the changed name of the SHM and to note that LC catalogers supply the 781 field.

This page intentionally blank

373 Associated GroupGeneral

Prefer a controlled vocabulary, such as the LC/NACO Authority File.

Example:

Corporate name in LC/NAF:

110 2# \$a Washington Wizards (Basketball team)

Form of name in 373:

373 ## \$a Washington Wizards (Basketball team) \$2 naf

Example:

Corporate name in LC/NAF:

110 1# \$a United States. \$b Congress. \$b Senate

Form of name in 373:

373 ## \$a United States. Congress. Senate \$2 naf

Repeatability

In choosing between repeating a field and repeating a subfield: If the only addition to an existing field is an additional term from the same vocabulary, repeat the subfield. If the vocabulary source differs, or if another associated element differs (such as a range of dates), repeat the field. Overall best practice: repeat the field when needed for clarity.

Example:

NAR with 373 with subfield \$2 and dates:

373 ## \$a Chicago Bulls (Basketball team) \$2 naf \$s 1984 \$t 1993

373 ## \$a Chicago Bulls (Basketball team) \$2 naf \$s 1995 \$t 1998

373 ## \$a Washington Wizards (Basketball team) \$2 naf \$s 2001 \$t
2003

Subfield \$u - Uniform Resource Identifier and Subfield \$v - Source of the Information

Follow the LC/PCC practice for subfield \$u and subfield \$v provided in the 046 field.

This page intentionally blank

380 Form of WorkGeneral

Prefer a controlled vocabulary, such as LCSH, LCGFT, or MeSH, or use a source term from the *MARC Subject Heading and Term Source Codes* or *Genre/Form Source Codes* in subfield \$2 if appropriate. For consistency, capitalize the first term in subfield \$a. When terms do not come from a controlled vocabulary, use the singular form.

This page intentionally blank

551 See Also From Tracing – Geographic Name

Do not use subfield \$i **with** subfield \$w coded “r” until relationship designators for places are developed. (Currently RDA has a placeholder for Appendix L).

This page intentionally blank

500 See Also From Tracing – Personal Name

NACO:

Use first indicator value 3 in RDA NARs and SARs when providing relationship links to and from family names.

Do not use subfields:

\$e, \$h, \$j, \$v, \$x, \$y, \$z, \$0, \$4, \$5, \$6, \$8

NACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References*.

SACO :

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$0, \$4, \$5, \$6, \$8

SACO usage for subfield \$w is given in the LC Guidelines section for *Tracings and References*.

LC

NAMES/SERIES:

As of November 1, 2011 LC catalogers applying RDA guidelines will use first indicator value 3 in RDA NARs and SARs when providing relationship links to and from family names.

Do not use subfields:

\$e, \$h, \$j, \$v, \$x, \$y, \$z, \$0, \$4, \$5, \$6, \$8

Prior to July 2014 subfield \$0 **was used** only in records imported from the Library and Archives Canada.

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References*.

SUBJECTS:

Do not use subfields:

\$e, \$g, \$h, \$i, \$j, \$0, \$4, \$5, \$6, \$8

Usage for subfield \$w is given in the LC Guidelines section for *Tracings and References*.

This page intentionally blank

781 Subdivision Heading Linking Entry—Geographic Subdivision

NACO:

NACO participants may provide a 781 field in Name authority records for geographic headings (151). The 781 field is used to indicate the appropriate form to be used as a geographic subdivision in a bibliographic record when the heading itself may also be used as a geographic subdivision. 151s not appropriate for use as subdivisions include city sections. Consult instruction sheets H 835 and H 830 in the *Subject Headings Manual*.

Always use Second indicator value 0.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

SACO:

Supply the 781 field in Subject authority records for geographic subject headings that may also be used as subdivisions, following the guidelines in the *Subject Headings Manual* instruction sheets H 836 and H 830.

Always use Second indicator value 0.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

LC:

NAMES/SERIES:

NACO participants may provide a 781 field in Name authority records for geographic headings (151). The 781 field is used to indicate the appropriate form to be used as a geographic subdivision in a bibliographic record when the heading itself may also be used as a geographic subdivision. 151s not appropriate for use as subdivisions include city sections. Consult instruction sheets H 835 and H 830 in the *Subject Headings Manual*.

Always use Second indicator value 0.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

SUBJECTS:

Always use Second indicator value 0.

Do not use subfields:

\$v, \$w, \$x, \$y, \$0, \$2, \$5, \$6, \$8

Local Subfield Code

\$9 - Local field-level nonprint flag [*SUBJECTS only*]

Use local subfield \$9 to control the printing of the field in output products.